

Product Data Sheet

PE Trunk Mats

Instruction and safety information

Date of issue: 2024-12-05

Sheet No: 1/2024

Update: 19.12.2024

SECTION 1 Company recognition

1.1. COMPANY:
Rezaw-Plast Ryszard Zawół
Ul Leśna 46
05-083 Zaborów
NIP: 529 001 04 16
REGON: 010585493

1.2. CONTACT DETAILS:
www rezaw-plast.pl
e-mail: sklep@rezaw-plast.pl
tel.: (+48) 22 780 92 12

1.3. TRADEMARK:
logo:



Trademark ID: R.197408

logo:



Trademark ID: R.197409

SECTION 2 Product recognition

2.1. Product type:
TRUNK MAT PE

2.2. Material:
PE Polyethylene
* standard color of product - black

2.3. Production recognition:
batch number - listed on the label

2.4. Product recognition:
article number - permanently imprinted on the product,
products dedicated to specific vehicle models

2.5. Made in Poland

2.6. Product labelling and packaging example:








2.7. Warranty
2 years

2.8. Recycling:
fully recyclable





SECTION 3 Exploitation and maintenance

3.1.	Trunk mat PE provides protection of the trunk floor.
3.2.  	Make sure to correctly choose the trunk mat for your car model.
3.3.	Do not attempt to modify the product as this may affect the intended use.
3.4.	After removing the rolled mat from the box, we recommend leaving the trunk mat in room temperature for a few hours. This will allow the mat to return to its original shape and ensure optimum functionality. Then place the trunk mat directly in the trunk.
CAUTION!	
	To avoid the risk of suffocation, keep the plastic bags away from babies and children.
	To avoid accidental injuries, use caution while using any tools. To prevent injuries, do not expose children to sharp instruments.
	In case of visible damage or wear, replace the product with a new one.

Example of PE trunk mat placement in the trunk



3.5. 	We recommend cleaning the trunk mat as follows: <ol style="list-style-type: none">1. Remove dust and dirt with a vacuum cleaner.2. Wash the Trunk mat PE with mild soap and warm or cold water.3. Allow the trunk mat to dry completely before placing it back in the vehicle.
3.6. 	If you have any questions, please contact our customer service team, we will provide the best and professional service.

Example of product labelling and packaging

